

2 Champagne Drive, Unit C2, East Toronto, M3J 2C5

Tel: 416-792-3043 Fax: 416-792-8705 Email: surgery@northtorontoeyecare.com

Your	eye is scheduled for:	Start drops on:	
Your	eye is scheduled for:	Start drops on:	

TELEPHONE NOTIFICATIONS: You will receive a telephone notification 1 week before your surgery confirming your date of surgery, time of arrival and other pre-op instructions.

Before Your Surgery

- **MEDICAL HISTORY AND PHYSICAL FORMS:** Please make an appointment to see your family doctor at least 3 weeks before your surgery and have your form filled out. It must be received at the surgical centre by email/fax/drop off 2 weeks prior to your surgery.
- **MEDICATION EYE DROPS:** Start your drops 2 days before your surgery.

Medication Drop Instructions

• Use these drops in the eye that is preparing for surgery only

	Drops:	Vigamox (Moxifloxacin) Ψ	Maxidex ↓	Prolensa ↓
Before Surgery	2 days before surgery	1 drop/ 3 times a day	1 drop/ 3 times a day	1 drop once daily in the morning
Day of Surgery	Morning of Surgery	1 drop	1 drop	1 drop
	After surgery Until bedtime	1 drop every 2 hours	1 drop every 2 hours	None
After Surgery	Until bottle is empty	Continue 1 drop/ 3 times a day until the drops run out	Continue 1 drop/ 3 times a day until the drops run out	Continue 1 drop a day until the drops run out

- ✓ Wait 1-2 minutes between all drops.
- ✓ You CAN use LUBICATING drops while using medication drops.
- ✓ KEEP using your GLAUCOMA drops if you are prescribed any.
- ✓ There is a REFILL on the medication prescription you received for your first surgery. This refill is for your second eye surgery, if applicable.

Day of Surgery

Food & Drink:

- **DO NOT EAT after MIDNIGHT the night before surgery.** This includes no soup, chewing gum, hard candy.
- ONLY CLEAR FLUIDS THREE HOURS before your surgery time (water, herbal tea, apple juice, ginger ale). No milk or cream in the tea. No soup or broth.

Transportation:

• You MUST HAVE AN ESCORT/DRIVER to accompany you home. Your escort is expected to stay at the surgery center the entire time you are there in case of an emergency, which may take 1-3 hours. Drop offs are strongly discouraged.

*** FAILURE TO COMPLY MAY RESULT IN CANCELLED OR DELAYED SURGERY***

CANCELLATION FEES WILL BE CHARGED

Medication:

- You SHOULD take your morning pills as usual (you must take blood pressure and heart pills) BUT <u>DO NOT TAKE DIABETES PILLS OR ANY MEDICATION</u> <u>THAT NEEDS TO BE TAKEN WITH FOOD</u>). Take your pills with sips of clear fluids three hours before your surgery.
 - **✓** You MUST take blood pressure and heart pills
 - DO NOT take diabetes pills and/or insulin

Other Instructions:

- BRING ALL of your eye drops and a list of your medications.
- WEAR loose fitting clothes so that monitoring equipment can be applied easily.
- **DO NOT WEAR** jewellery, and do not bring any other valuables.
- **DO NOT WEAR** contact lenses, face cream, makeup, perfume or aftershave.
- **BRING** a valid form of payment (Visa, Mastercard, debit or cash).

After Your Surgery

What to Expect:

- It is normal for the operated eye to feel blurry, light sensitive, tender, sandy or itchy for hours to several days.
- You may take regular or extra-strength Tylenol or Advil.
- Often the vision clears up slowly, but it can also be sharp within a day. Everyone heals differently and your two eyes will often heal differently from each other.
- You will see one of our doctors within 1 week for a follow-up visit.

Food & Drink:

 You may EAT whatever you like after surgery, but DO NOT drink alcohol for 24 hours as this may interact with the anesthesia medications you had during the surgery.

Medication:

About an hour after the surgery, START USING MEDICATION EYE DROPS.
 Consult the drop instructions chart.

Wound Care:

- A **PLASTIC SHIELD** (given to you on the day of surgery) is to be worn when you are sleeping or lying down for the first 3 days/nights after surgery.
- If your eyes burn, feel scratchy or itchy, **USE LUBRICATING DROPS** as often as you need.
- **DO NOT** put any pressure or rub your eye for 2 weeks.
- **GENTLY CLEAN** any eye drop residue from your lashes or the corner of your eye with a clean tissue.
- AVOID wearing makeup for 1 week. You can use face cream after surgery, but avoid around the eye.

Activities:

- Take a BATH at anytime, or SHOWER from the neck down for the first 3 days. Afterwards, you can wash your hair, but avoid getting soap or water in the operated eye for 2 weeks.
- You may resume LIGHT ACTIVITIES (e.g. walking, reading, cooking, watching TV).
- You may bend, look down, tie your shoelaces, and sleep on any side you wish.
- AVOID STRENUOUS ACTIVITIES for 2 weeks, such as heavy lifting or intense
 exercises. RULE OF THUMB: if you need to strain to lift something or breathe
 heavily after an activity, wait 2 weeks before doing it.
- AVOID DIRTY/DUSTY ACTIVITIES for 2 weeks, such as gardening & home renovation.
- You can play golf or tennis after 1 week with protective eye wear.
- No underwater swimming or diving for 1 month.
- TRAVELLING by car is permitted anytime, but wait 2 weeks before travelling by airplane.
- You should avoid **DRIVING** for 1-2 days or longer if your vision is still blurry, as
 you may not meet the legal driving standards. At your 1 week visit, your doctor
 will let you know if you can drive.

Work:

• For office or desk jobs, resume work within 3-5 days. For jobs that require heavy lifting or working in dusty environments, we suggest 1-2 weeks off from work.

Glasses:

- **WEAR** sunglasses whenever you are outdoors for at least 1 week for protection and because your eyes may be sensitive to bright lights.
- You may choose to wear your glasses if you feel more comfortable with them on, but often the prescription will change after surgery and you may see better without them.
- You may wear over the counter readers in the meantime before you see your optometrist.
- Book an appointment to see your **OPTOMETRIST** 1 month after your last surgery to check your new glasses prescription.

For urgent concerns during the daytime, please call our centre: 416-792-3043 or 416-748-2020 ext 111

For urgent concerns after hours or over the weekend, please call (416) 201-3235

or go to your nearest HOSPITAL EMERGENCY DEPARMENT